

Safety Data Sheet

Suma Grill D9

Revision: 2018-05-04

Version: 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name: Suma Grill D9

1.2 Recommended use and restrictions on use For professional use only.

1.3 Details of the supplier of the safety data sheet Diversey (Malaysia) Sdn. Bhd.

Contact details

No. 6, Jalan Pengarah U1/29, Seksyen U1 Hicom Glenmarie Industrial Park 40150 Shah Alam Selangor, Malaysia Tel: +603-5569-6363 Fax: +603-5569-6262

1.4 Emergency telephone number Tel : +603-5569-6363

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A (H314) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Hazard statements:

H314 - Causes severe skin burns and eye damage. H290 - May be corrosive to metals.

Precautionary statements:

P260 - Do not breathe spray.

P280 - Wear protective gloves, protective clothing and eye or face protection. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known Exposure and appropriate engineering controls are specified in subsection 8.2 exposure controls.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	Classification	Weight percent
sodium hydroxide	1310-73-2	Skin Corr. 1A (H314) Met. Corr. 1 (H290)	3-10
(2-methoxymethylethoxy)propanol	34590-94-8	Not classified as hazardous	3-10
alkyl polyglucoside	68515-73-1	Eye Dam. 1 (H318)	1-3

Workplace exposure limit(s), if available, are listed in subsection 8.1. For the full text of the H phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measure	PS
General Information:	If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position and seek medical advice. Provide fresh air. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and	effects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes severe burns.
Eye contact:	Causes severe or permanent damage.

 Eye contact:
 Causes severe or permanent damage.

 Ingestion:
 Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb onto dry sand or similar inert material.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures to prevent aerosol and dust generation:

Avoid formation of aerosol.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe spray. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Ceiling value(s)
sodium hydroxide		2 mg/m ³
(2-methoxymethylethoxy)propanol	100 ppm 606 ma/m ³	

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:	Use only in well ventilated areas. Ensure that foam equipment does not generate respirable particles. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment	
Eye / face protection:	Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
	Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen. Chemical-resistant protective gloves (EN 374) are always recommended for foam applications.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

Physical State: Liquid Colour: Clear, Brown Odour: Product specific Odour threshold: Not applicable **pH:** ≈ 14 (neat) Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined Flash point (°C): Not applicable. Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) Evaporation rate: Not determined Flammability (solid, gas): Not applicable to liquids Upper/lower flammability limit (%): Not determined Vapour pressure: Not determined Vapour density: Not determined Relative density: ≈ Not determined (20 °C) Solubility in / Miscibility with Water: Fully miscible Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3 Autoignition temperature: Not determined Decomposition temperature: Not applicable. Viscosity: Not determined Explosive properties: Not explosive. Oxidising properties: Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Corrosive

Weight of evidence

Not relevant to classification of this product

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol	LD 50	> 4000	Rat	Method not given	
alkyl polyglucoside	LD 50	> 2000	Rat	OECD 423 (EU B.1 tris)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/kg)			time (h)
sodium hydroxide		No data			
		available			
(2-methoxymethylethoxy)propanol	LD 50	9510	Rabbit	Method not given	

alkyl polyglucoside	LD 50	> 2000	Rabbit	OECD 402 (EU B.3)	
Acute inhalative toxicity					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol	LC o	> 1.667 (vapour) No mortality	Rat		7

observed No data available

Irritation and corrosivity Skin irritation and corrosivity

alkyl polyglucoside

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
alkyl polyglucoside	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
alkyl polyglucoside	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
(2-methoxymethylethoxy)propanol	No data available			
alkyl polyglucoside	No data available			

Sensitisation

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch	
			test	
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
alkyl polyglucoside	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
(2-methoxymethylethoxy)propanol	No data available			
alkyl polyglucoside	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2	No evidence for mutagenicity, negative test results	DNA repair test	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
	No evidence for mutagenicity, negative test results	Method not given	No data available	
, , , , , , , , , , , , , , , , , , , ,	No evidence for mutagenicity, negative test results	Read across	No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results
alkyl polyglucoside	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
(2-methoxymethylethox			No data				No evidence for reproductive

y)propanol	avai	lable		1	toxicity
alkyl polyglucoside	-	data ilable	OECD 416, (EU B.35), oral		No evidence for reproductive toxicity

Repeated dose toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
(2-methoxymethylethoxy)propanol		No data available				
alkyl polyglucoside	NOAEL	100	Rat	OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hydroxide		No data				
		available				
(2-methoxymethylethoxy)propanol		No data				
		available				
alkyl polyglucoside		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hydroxide		No data				
-		available				
(2-methoxymethylethoxy)propanol		No data				
		available				
alkyl polyglucoside		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
sodium hydroxide			No data					
			available					
(2-methoxymethylethox			No data					
y)propanol			available					
alkyl polyglucoside			No data					
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
(2-methoxymethylethoxy)propanol	No data available
alkyl polyglucoside	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
(2-methoxymethylethoxy)propanol	No data available
alkyl polyglucoside	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)

sodium hydroxide	LC 50	35	Various species	Method not given	96
(2-methoxymethylethoxy)propanol	LC 50	> 1000	Poecilia reticulata	Method not given	96
alkyl polyglucoside	LC 50	100.81	Brachydanio rerio	ISO 7346	96

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia	Method not given	48
			sp.		
(2-methoxymethylethoxy)propanol	EC 50	1919	Daphnia	Method not given	48
			magna Straus		
alkyl polyglucoside	EC 50	> 100	Daphnia	OECD 202 (EU C.2)	48
			magna Straus	. ,	

Aquatic short-term toxicity - algae					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu m phosphoreum	Method not given	0.25
(2-methoxymethylethoxy)propanol	EC 50	> 969	Selenastrum capricornutum	Method not given	72
alkyl polyglucoside	EC 50	27.22	Desmodesmus subspicatus	Method not given	72

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			-
(2-methoxymethylethoxy)propanol		No data available			-
alkyl polyglucoside	EC 50	12.43	Skeletonema costatum	Method not given	3

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol	EC 10	4168	Pseudomonas putida	Method not given	
alkyl polyglucoside	EC 10	> 560	Pseudomonas putida	Method not given	6 hour(s)

Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data				
		available				
(2-methoxymethylethoxy)propanol		No data				
		available				
alkyl polyglucoside	NOEC	1	Brachydanio	Method not	28 day(s)	
			rerio	given		

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
sodium hydroxide		No data				
		available				
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	Daphnia	Method not	22 day(s)	
			magna	given		
alkyl polyglucoside	NOEC	1	Daphnia	OECD 202	21 day(s)	
			magna			

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
alkyl polyglucoside		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
sodium hydroxide		No data			-	
		available				
(2-methoxymethylethoxy)propanol		No data			-	
		available				
alkyl polyglucoside		No data			-	
		available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
alkyl polyglucoside		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data			-	
		available				
(2-methoxymethylethoxy)propanol		No data			-	
		available				
alkyl polyglucoside		No data			-	
		available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
		soil)				
sodium hydroxide		No data			-	
		available				
(2-methoxymethylethoxy)propanol		No data			-	
		available				
alkyl polyglucoside		No data			-	
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
alkyl polyglucoside		No data available			-	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
alkyl polyglucoside			59%	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not	
			bioaccumulate	
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation	
alkyl polyglucoside	0.07	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
(2-methoxymethylethox y)propanol	No data available				
alkyl polyglucoside	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
alkyl polyglucoside	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging Recommendation: Suitable cleaning agents:

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) 14.1 UN number: 1824 14.2 UN proper shipping name: Sodium hydroxide solution 14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 8 14.4 Packing group: II 14.5 Environmental hazards: Environmentally hazardous: No Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of national road transport regulations and the provisions of the IMDG Code

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS4000340

Version: 01.0

Full text of the R, H and EUH phrases mentioned in section 3:

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- DNEL Derived No Effect Limit
 PNEC Predicted No Effect Concentration
- ATE Acute Toxicity Estimate
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LD50 Lethal Dose, 50% / Median Lethal dose
 STOT-RE Specific target organ toxicity (repeated exposure)
 STOT-SE Specific target organ toxicity (single exposure)

End of Safety Data Sheet

Revision: 2018-05-04